

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A security document, ~~in particular paper of value such as bank note,~~ or semifinished product for producing the security document, comprising a substrate (1) with first and second opposing substrate surfaces and a multilayer security element (2, 4) that is so connected with the substrate (1) that it is visually recognizable at least from one of the two substrate surfaces, wherein the security element includes a multilayer interference element (I) producing a color shift effect and a layer (S) with diffraction structures (8) that at least partly overlaps the interference element (I), characterized in that the security element is semitransparent, the interference element (I) has gaps in at least one layer, and the diffraction structures (8) directly adjoin the interference element (I).
2. (Previously Presented) A security document or semifinished product according to claim 1, wherein the security element (2, 4) is applied to one of the two substrate surfaces and spans a hole (3) or a transparent area in the substrate (1).
3. (Previously Presented) A security document or semifinished product according to claim 1, wherein the security element (4) is at least partly embedded in the substrate (1) and spans a hole (3) or a transparent area in the substrate (1).
4. (Previously Presented) A security document or semifinished product according to claim 3, wherein the security element (4) is so embedded in the substrate (1) that it is visually recognizable in first areas (7) of the substrate (1) on the first substrate surface and optionally additionally in the second areas of the substrate different from the first areas on the second substrate surface.

5. (Currently Amended) A security document or semifinished product according to claim 3 ~~or 4~~, wherein the security element (4) is a security thread.
6. (Currently Amended) A security document or semifinished product according to ~~at least one of claims 1 to 5~~ claim 1, wherein the interference element (I) is present on a transparent plastic substrate (S).
7. (Previously Presented) A security document or semifinished product according to claim 6, wherein the plastic substrate (S) is colored.
8. (Currently Amended) A security document or semifinished product according to ~~at least one of claims 1 to 7~~ claim 1, wherein the interference element (I) includes a first absorber layer (A₁), a dielectric layer (D) adjoining and overlying the first absorber layer (A₁) and a second absorber layer (A₂) adjoining and overlying the dielectric layer (D).
9. (Currently Amended) A security document or semifinished product according to ~~at least one of claims 1 to 7~~ claim 1, wherein the interference element (I) includes at least three adjacent, mutually overlying dielectric layers (D₁ to D₄) having alternately a high and a low refractive index.
10. (Currently Amended) A security document or semifinished product according to ~~at least one of claims 1 to 9~~ claim 1, wherein the layers (A₁, D, A₂; D₁ to D₄) constituting the interference element (I) are vapor-deposited.
11. (Currently Amended) A security document or semifinished product according to ~~at least one of claims 1 to 10~~ claim 1, wherein the interference element (I) has gaps (9) in the form of signs, patterns or encodings, ~~the gaps preferably being present only in one of the layers of the interference element, especially preferably in at least one of the absorber layers.~~

12. (Currently Amended) A security document or semifinished product according to ~~at least one of claims 6 to 11~~claim 6, wherein the plastic substrate (S) has the diffraction structures (8).
13. (Currently Amended) A security document or semifinished product according to ~~at least one of claims 1 to 11~~claim 1, wherein the diffraction structures (8) are present in a separate layer.
14. (Currently Amended) A security document or semifinished product according to ~~at least one of claims 1 to 13~~claim 1, wherein the diffraction structures (8) include an embossed relief pattern.
15. (Currently Amended) A security document or semifinished product according to ~~at least one of claims 1 to 14~~claim 1, wherein an effect caused by the diffraction structures is visually recognizable from ~~one or both~~at least one of the sides of the security element depending on the way of viewing the security element.
16. (Currently Amended) A security document or semifinished product according to ~~at least one of claims 1 to 15~~claim 1, wherein an effect caused by at least one of the diffraction structures and/or a color shift effect produced by the interference element is visually recognizable from both sides of the security element depending on the way of viewing the security element.
17. (Currently Amended) A security document or semifinished product according to claim 16, wherein the effect caused by at least one of the diffraction structures and/or the color shift effect produced by the interference element are of identical design from both sides of the security element depending on the way of viewing the security element.

18. (Previously Presented) A security element to be embedded in or applied to a security document (1), in particular for a paper of value such as a bank note, wherein the security element includes a multilayer interference element (*I*) producing a color shift effect and a layer (*S*) with diffraction structures (8) that at least partly overlaps the interference element (*I*), characterized in that the security element is semitransparent, the interference element (*I*) has gaps in at least one layer, and the diffraction structures (8) directly adjoin the interference element (*I*).
19. (Previously Presented) A security element according to claim 18, wherein the interference element (*I*) is present on a transparent plastic substrate (*S*).
20. (Currently Amended) A security element according to claim 18 ~~or 19~~, wherein the interference element (*I*) includes a first absorber layer (*A*₁), a dielectric layer (*D*) adjoining and overlying the first absorber layer (*A*₁) and a second absorber layer (*A*₂) adjoining and overlying the dielectric layer (*D*).
21. (Currently Amended) A security element according to claim 18 ~~or 19~~, wherein the interference layer (*I*) includes at least three adjacent, mutually overlying dielectric layers (*D*₁ to *D*₄) having alternately a high and a low refractive index.
22. (Currently Amended) A security element according to ~~at least one of claims 19 to 21~~ claim 19, wherein the layers (*A*₁, *D*, *A*₂; *D*₁ to *D*₄) constituting the interference element (*I*) are vapor-deposited.
23. (Currently Amended) A security element according to ~~at least one of claims 18 to 22~~ claim 18, wherein the interference element (*I*) has gaps (9) in the form of signs, patterns or encodings, ~~the gaps preferably being present only in one of the layers of the interference element, especially preferably in at least one of the absorber layers.~~

24. (Currently Amended) A security element according to ~~at least one of claims 19 to 23~~claim 19, wherein the plastic substrate (S) has the diffraction structures (8).
25. (Currently Amended) A security element according to ~~at least one of claims 18 to 23~~claim 18, wherein the diffraction structures (8) are present in a separate layer.
26. (Currently Amended) A security element according to ~~at least one of claims 18 to 25~~claim 18, wherein the diffraction structures (8) include an embossed relief pattern.
27. (Currently Amended) A security element according to ~~at least one of claims 18 to 26~~claim 18, wherein an effect caused by at least one of the diffraction structures and/or a color shift effect produced by the overlying interference element are visually recognizable from both sides of the security element depending on the way of viewing the security element.
28. (Currently Amended) A security element according to ~~at least one of claims 18 to 27~~claim 18 in the form of a security thread to be embedded in a security document.
29. (Currently Amended) A security element according to ~~at least one of claims 18 to 27~~claim 18 as a label or patch to be applied to a security document.
30. (Currently Amended) A security element according to ~~at least one of claims 18 to 27 and 29~~claim 18 as a transfer element to be applied to a security document by ~~the~~a transfer method.
31. (Previously Presented) Transfer material for applying a security element to a document of value, wherein the transfer material includes the following layer structure:
 - a multilayer interference element (I) with a color shift effect, and
 - a layer (3) with diffraction structures that at least partly overlaps the interference element, characterized in that the security element is semitransparent, the

interference element (I) has gaps in at least one layer, and the diffraction structures (8) directly adjoin the interference element (I).

32. (Previously Presented) A method for producing a document of value having a security element, characterized in that the layer structure of the transfer material according to claim 31 is transferred to the document of value in certain areas.
33. (Currently Amended) Use of the security document or semifinished product according to ~~at least one of claims 1 to 17~~claim 1 for protecting products.
34. (Canceled)
35. (Canceled)
36. (Canceled)
37. (Canceled)
38. (Canceled)
39. (New) The security document or semifinished product of claim 1, comprising paper of value.
40. (New) The security document or semifinished product of claim 39 wherein said paper of value is a bank note.
41. (New) The security document or semifinished product of claim 11, wherein said gaps are present only in one of the layers of the interference element.
42. (New) The security document or semifinished product of claim 41 wherein said gaps are in at least one of the absorber layers.

43. (New) The security element of claim 23 wherein said gaps are present only in one of the layers of the interference element.
44. (New) The security element of claim 43 wherein said gaps are in at least one of the absorber layers.